# GP Protech

Feature wall & Cladding

# LOFT STEGU

WHITE

0.60m2

206x63mm

1.17lm

190x80x63mm

# * PARMA

WHITE



0.50m2

222x74mm

0.90lm

200x90x74 mm

*No grout require

# ARUBA

RED

GREY

0.56m2

1.35lm

210x65mm

196x86x65mm

# LOFT BRICK

BRICK



0.56m2

1.57lm

215x65mm

200x95x65mm

## COUNTRY

C640



1.00m2

1.80lm

205x62mm

190x80x62mm

## ROMA

CREAM

0.75m2

1.80lm

285x160mm

98x230x160 mm

# *PALERMO*

WHITE

GRAPHITE

0.62m2 | 1.13lm

550x142mm | 333x160x142mm

# *UMBRIA*

GREY

0.43m2 | N/A

530x105mm | N/A

# LYON

LYON ONE

0.54m2

1.01lm

545x145mm

340x140x145mm

# NEPAL

FROST

GRAPHITE



0.46m2

1.20lm

380x100mm

90x270x100mm
150x210x100mm

# SIERRA

## Graphite

## Cream







0.40m2

0.80lm

550x80mm

340x140x80mm

# *GRENADA*

RUSSET

FROST

GRAPHITE

VOLCANIC

0.32m2

550x117mm

0.58lm

150x325x117mm

## *CALABRIA*



0.70m2

IRREGULAR DIMENSION

1.70lm

IRREGULAR DIMENSION

## *NEBRASKA*

GRAY

1.00m2

IRREGULAR DIMENSION

2.50lm

IRREGULAR DIMENSION

*Technical data on request

# TIMBER

WOOD

GREY

0.43m2 N/A

530x117mm N/A

# QUADRO




0.58m2 N/A

380x380mm N/A

*Technical data on request

# PURE

PURE





0.58m2 N/A

760x380mm N/A

*Technical data on request

# PIXEL

PIXEL



0.58m2 N/A

760x380mm N/A

*Technical data on request

## CUBE

CUBE 1

CUBE 2

0.47m2

N/A

345x345mm

N/A

*Technical data on request

## AXEN



AXEN 1

AXEN 2

0.59m2

N/A

780x190mm

N/A

*Technical data on request

# PROSIL – Stone, Concrete Brick, Sandstone Sealer 1L

- Coverage ~5-10m2 depending on surface.
- Impregnation depth - ≥ 5mm
- Premium protection
- Is not classified as dangerous for the environment
-Capillary absorption and permeability to water – w<0.1 kg/m² h0.5
-Suitable for external and internal application

# GRUNT – Surface primer 1L

- Surface priming agent
- Coverage up to 10m²
- Improves adhesion, eliminates dusting
- For internal and external application

# GIPSOLEP- Gypsum based products Adhesive 5kg

- Coverage up to ~2-3m²
- Just add water
- Quick drying ( Rapid )
- Internal use only

# ONE PART FLEX – Adhesive for concrete based products

- Coverage up to 5-6m2
- Just add water
- For internal and external application
- Flexible
- Non slip

# POWER ELASTIK – Adhesive for natural stone splitface

- Ready to use
- Flexible
- White
- Coverage up to ~2.5m²
- High bonding strength
- Suitable for internal and external application

| *Spec. Data | Loft Stegu | Parma | Aruba | Loft Brick SM | Country | Roma | Palermo |
|---|---|---|---|---|---|---|---|
| Material | Gypsum | Gypsum | Concrete | Concrete | Concrete | Concrete | Concrete |
| Spec. Standard | **EN-14246:2008** | **EN 14246:2006** | **EN 14992:2007+A1:2012** | | **EN 14992:2007+A1:2012** | **EN 14992:2007+A1:2012** | **EN 14992:2007+A1:2012** |
| Grouting require | Yes | No | Yes | Yes | Yes | No / Yes | No |
| Installation method | Adhesive | Adhesive | Adhesive | Adhesive | Adhesive | Adhesive | Adhesive |
| Fire resistance | **EN 14246:2006** | **EN 14246:2006** | A1 | A1 | A1 | A1 | A1 |
| Tile dimension mm L/H/T | 206x63x 16-18 | 222x74x22 | 210x65x12-16 | 215x65x10-16 | 205x62x14-17 | 285x160x16-27 | 550x142x10-26 |
| tile weight (1 pcs) kg | 0.2 | 0.35 | 0.30 | | 0.28 | 1.08 | 1.85 |
| Weight per m2 kg (without adhesive and grout) | 12.5 | 21 | 18.65 | 19.65 | 17.9 | 21.67 | 23.68 |
| Tile qty per box / Corners qty per box | 38 / 16 | 30 / 12 | 36 / 18 | | 63 / 24 | 15 / 7 | 8 / 8 |
| Area coverage per box m2 ( with grout if req.) | 0.6 | 0.5 | 0.59 | 0.56 | 1.0 | 0.75 | 0.62 |
| Corner tile dimension mm LHT (internal - external) | 190/80x63x16-18<br><br>206/95x63x16-18 | 200/90x74x22<br><br>222/113x74x22 | 196/86x65 | | 190/80x62x14-17<br><br>205/95x62x14-17 | 230/98x160x16-27<br><br>257/125x160x16-27 | 333/160x142x10-26<br><br>355/190x142x10-26 |
| Corners area per box m2 ( with grout if required) | 0.32 | 0.26 | 0.18 | | 0.48 | 0.36 | 0.56 |
| Corner weight ( 1 pcs) kg | 0.295 | 0.48 | 0.5 | | 0.43 | 1.35 | 1.85 |
| Corner Area coverage per box LM (with grout if required) | 1.17 | 0.9 | 1.35 | 1.57 | 1.8 | 1.19 | 1.13 |

| *Spec. Data | Umbria | Lyon | Nepal | Sierra | Grenada | Calabria | Timber |
|---|---|---|---|---|---|---|---|
| Material | Concrete | Concrete | Concrete | Concrete | Concrete | Concrete | Concrete |
| Spec. Standard | **EN 14992:2007 +A1:2012** | **EN 14992:2007+ A1:2012** | **EN 14992:2007+A1 :2012** | **EN 14992:200 7+A1:2012** | **EN 14992:2007+ A1:2012** | **EN 14992:2007+A1 :2012** | **EN 14992:20 07+A1:20 12** |
| Grouting require | No | No | No | No | No | Yes | No |
| Installation method | Adhesive | Adhesive | Adhesive | Adhesive | Adhesive | Adhesive | Adhesive |
| Fire resistance | A1 | A1 | A1 | A1 | A1 | A1 | A1 |
| Tile dimension mm L/H/T | T1- 330x105x 8-17<br>T2-190x105x 8-17 | 540x140x16-27 | T1- 385x100x12-24<br>T2- 130x100x12-24 | 550x80x12-32<br>Z Style | 550x117x22-38 | 120/125,140/120,240/175,110/70,300/130,210/130,180/70,175/130,250/125,240/120,130/120,180/190,300/270,360/260,340/120,220/125,300/130,120/85,130/70,250/180,135/115<br>Thickness 10-28 | 530x117x12-28 |
| tile weight (1 pcs) kg | T1- 0.82<br>T2- 0.52 | 2.35 | T1- 0.83<br>T2- 0.29 | 1.77 | 2.35 | Various | 2.16 |
| Weight per m2 kg (without adhesive and grout) | 24.1 | 30 | 24.67 | 44.25 | 36.54 | Various<br>~ 32 | 30.9 |
| Tile qty per box / Corners qty per box | 16 / N/A | 7 / 7 | 12 / 12 | 10/10 | 5 / 5 | 20-22 / 11 | 7 / N/A |
| Area coverage per box m2 ( with grout if req.) | 0.43 | 0.54 | 0.46 | 0.4 | 0.32 | 0.7 | 0.43 |
| Corner tile dimension mm LHT (internal - external) | N/A | 340/140x145x 16-27<br><br>372/167x145x 16-27 | T1-90/268x100 112/290x100<br>T2-150/210x100 172/230x100<br>T3-210/150x100 230/170x100<br>T4-240/118x100 260/140x100<br>T5-265/90x100 290/110x100<br>T6-150/210x100 170/230x100<br>Thickness 12-24 | 340x140x80 x12-32<br>380x180x80 x12-32 | 150/325x117x 22-38<br><br>190/365x117x 22-38 | Internal dimension<br>T1-130/75x130<br>T2-170/70x115<br>T3-240/110x115<br>T4-265/100x115<br>T5-175/75x115<br>T6-285/75x270<br>T7-200/70x120<br>T8-125/55x120<br>T9-130/80x125<br>T10190/60x70<br>Thickness - 10-28 | N/A |
| Corners area per box m2 ( with grout if required) | N/A | 0.48 | 0.43 | 0.37 | 0.27 | Various | N/A |
| Corner weight ( 1 pcs) kg | N/A | 2.35 | 1.1 | 1.77 | 2.15 | Various | N/A |
| Corner Area coverage per box LM (with grout if required) | N/A | 1.0 | 1.2 | 0.8 | 0.58 | 1.7 | N/A |



In relation to contents presented in this folder, we inform that the material does not constitute an offer within the meaning of the Law. Photos of the products are for illustration purpose only, hence actual appearance of the products may differ from the one presented in the pictures. Despite our efforts to represent the products as close to their real look as possible, both characteristics of printing technology and individual colour perception can make the product look one shade off its real appearance.
Moreover, the appearance of the products is affected by such as the type of lighting used, the presence of materials placed on the same or adjacent surface.

If you wish to became familiar with a larger cross-section of our offer, visit our website:

## https://decor.gp-protech.co.uk

* Specification Technical data are supplied by manufacturers and we do not take any responsibility for any mistakes which may occur in the table.

Pictures used in the catalog are the property of Stegu, Stone Master, GP Protech and AL-Chem
Their use by unauthorized entities is prohibited by law.
All Rights Reserved

stegu inspired by nature

fsb MEMBER

Stone Master

norcros ADHESIVES

alchem BUILDING CHEMISTRY